

A2J GmbH

Technology that connects

**The perfect hold –
two in one**

**Stability and comfort
in 3D- technology**

TORSO.LOC



Technology that connects

Torso.Loc Upper body and pelvis retraction belt



Torso-Loc bodice made from 8 mm neoprene, specially laminated

Belt strap 25 mm x 800 mm x 1.3 mm


soft punched strap, adjustable

TL-3DSR pad with flexible adaptable flank sections

Ratchet buckles
B-19/24-ERGO
Colours: BL/RED/TR

Toothed strap
R-19-BL-ERGO-400
R-24-BL-ERGO-400

TORSO.LOC



Two in one:

The Torso.Loc-System stands out ease-of-use and rapid handling: connecting the neoprene upper body bodice with the TL-3DSR pelvis retraction belt reduces several working steps to just one step for the optimum positioning.

Item no.

TL-3DSR-XS / TR-S, see above Example of use

Use

For the positioning of the upper body and pelvis in the wheelchair, the seat shell or the rehab buggy. When using the TorsoLoc system with a recumbent PEG gastric tube, it is necessary to take a possible

pressure load on the puncture site and the PEG tube into account.

Design

The Torso.Loc is an exclusive combination between upper body positioning and pelvis retraction belt. The neoprene bodice has a high reset force and is individually adjustable in the shoulder area and sternum for the safe positioning of the upper body. The bodice and belt are connected with a soft and sturdy punched strap in the area of the upper abdomen. The 3D pelvis retraction belt offers the optimum positioning of the pelvis without pressure on the anterior superior spine. With the Torso.Loc, an optimum positioning of the upper body and the pelvis in the wheelchair is guaranteed.


A2J

GmbH

Technology that connects

Dimensions of neoprene bodice

Item no.	A	B	C	D	E	F
TL-W-S	31	17	12	16	4	12
TL-W-M	38	20	16	19	5	13
TL-W-L	47	23	19	22	6	14
TL-W-XL	55	26	24	26	6,5	17



Pelvis retraction belt

Item no.	
TL-3DSR-XS	for SB 16-24 cm
TL-3DSR-S	for SB 20-32 cm
TL-3DSR-M	for SB 30-40 cm
TL-3DSR-L	for SB 36-46 cm

Ratchet buckles B-19/24-ERGO
Colours: BL/RED/TR

PELV.LOC

Subject to technical modifications and errors. Variations in colour from the depicted versions are possible.